Certificate of Authorisation for Service Provider Issued under the provisions of IMO Resolution MSC.402(96)

Issued on behalf of The Government of The Commonwealth of The Bahamas
by The Bahamas Maritime Authority

This is to certify that

PACIFIC SAFETY AGENCY PTE LTD

FOR LOCATION(s):

1. **1 Sunview Road, 01-39 Eco-Tech, Sunview, Singapore 627615, Singapore.**

has been assessed and authorised to provide servicing and maintenance of lifeboats, rescue boats launching appliances, release gear and davit-launched life raft automatic release hooks on board ships registered in The Bahamas, under the provisions of IMO Resolution MSC.402(96).

This Company is authorised to perform activities onboard Bahamas Flagged vessel for specific Make & Type listed in ANNEX at www.bahamasmaritime.com/providers

The company is responsible for keeping and maintaining the list of qualified personnel conducting services for the Make & Type of the ANNEX.

In cases where an equipment manufacturer is no longer in business or no longer provides technical support, the company may be authorised based on prior authorisation.

This Certificate may be withdrawn if:

1. The service has been improperly carried out or the results improperly reported.
2. The Recognised Organisation has found any deficiencies in the accepted operating systems of the company has failed to inform of any major changes influencing the quality of the service rendered.
3. The company has failed to inform of any major changes, having a direct impact on the quality of the service rendered.
4. The conditions listed in the certificate are changed and/or are not fulfilled.

Certificate Limitation, if any:	N/A
Anniversary Date:	05 Sept 2026
Issue date:	05 Sept 2026
Expiry date:	05 Sept 2029

Christos Papastathopoulos
Inspection & Survey
Bahamas Maritime Authority

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	JY-FN, JY-FF, JYM-FN, JYM-FF, GJ, JY-QFP/N	JIANGSU JIAOYAN
Launching Appliances	JYL, JYF, JYP, JYR, JYRC, JYRH	
Winch	FW, JY, JYWN, JYWP, JYRZ	
Release Gear	JX, JXN	
Survival Crafts	SC, JYB	JIANGYINSHI BEIHAI
Launching Appliances	SM, SAC, SA, FA, LB, LA, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD	
Winch	D, DW, HW, JYBW, FFW	
Release Gear	JYBHK	
Launching Appliances	HGD,, HGK, SHS, RTD, DHA, DMA, FD, WL, RD, RDW	ORIENTAL
Winch	BWE, SWE, WL, FD, WL, RD, RDW	
Survival Crafts	BH, BH-E, BH-F, BH-R, BH-HR	QINGDAO BEIHAI
Launching Appliances	BD-PV, BD-AR, BD-PL, BD-FF, BD-SA, BD-SH	
Winch	BW-H(L/R), L(L/R), SC, YSB, INI	
Release Gear	BG, BH-HOOK, FS, 15KNXS, 21KNXS, 23KNXS, 25KNXS, 35KNXS, JIMO CS	
Launching Appliances	WLT-LA, WLT-AS, WLT-LZA, WLT-R, WLT-LR, WLT-PL, WLT-FH, WLT-SQ, WLT-SA, WLT-ESC, WLT-YESC, SWLTA	SHEYANG VICTOR MARINE AUXILIARY
Winch	WLT-DZ, WLT-DZA, WLT-DS	

1. The equipment listed above should be understood as:
   Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
   Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
   Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
   Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
2. Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
3. When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	GRAVITY LUFFING ARM DAVIT: 14KN/25KN/50KN/60KN/90KN/100KN/120KN, GRAVITY SLIDING TRACK DAVIT 15KN/40KN, CROSS DECK GRAVITY SLIDING TRACK DAVIT: 30KN/110KN, PLATOFORM DAVIT: 48KN/110KN, FREE FALL LIFEBOAT LAUNCHING APPLIANCES: 55KN/70KN, SINGLE ARM RESCUE DAVIT 10KN/14KN/SFTSA10DS, SINGLE ARM RESCUE BOAT/RAFT LAUNCHING APPLIANCES: 14KN/25KN/30KN/40KN, LIFE-RAFT LAUNCHING APPLIANCE: 15KN/21KN/25KN/35KN, SINGLE ARM RESCUE BOAT/RAFT LAUNCHING APPLIANCES&PROVISIONS CRANE: 21KN, HYDRAULIC SLEWING BOAT-RAFT DAVIT: SFT-14KN/FCD3T*10M/25KN*10M, FAST RESCUE BOAT DAVIT: SFT-AFR25	SHEYANG SAIFUTE MARINE
Winch	ELE. RESCUE BOAT WINCH: 14KN/25KN/40KN/D50Z/63KN/E100R/D100Z, ELE LIFEBOAT WINCH:25KN/40KN/D50SZ/63KN/E70L/D100S/E100L	
Release Gear	PX	T-ISS
Survival Crafts	VG, VG-FF/FC, KR, DB, DRS, DR4, HLB, HLBLR, FRK, FRW	VANGUARDE
Launching Appliances	LVD, PL, A, PLR, SRH, LR, VAE, VAH, VL, VL-G, VS, VF, HSD, FH, MSD	
Winch	DW/D, DW/S, SLR, DWP, HW, PRH, VW/S, VW/Z	
Release Gear	C-SAFE, SPEARHEAD, HK, SHF, SSH	
Survival Crafts	HH, GJ	WUXI HAIHONG
Release Gear	HH	
Release Gear	HK, WHK, 15KN, 21-25KN, 31-37KN	WUXI MINGZI MACHINERY
Survival Crafts	WJB, WJ, BJ, WJJZ	WUXI WENJAO
Release Gear	WJHK, WJ	
Release Gear	15KN, 21,KN, 23KN, 25KN, 35KN	WUXI XINGSHENG

1. The equipment listed above should be understood as:
   Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
   Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
   Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
   Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
2. Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
3. When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	GRAVITY LUFFING ARM DAVIT: 18KN, 25KN, 40KN, 50KN, 60KN, 60KN(60L), 85KN, 110KN, T2.5 & SK50 GRAVITY SLIDING TRACK DAVIT: 25KN & 30KN FREE-FALL LIFEBOAT LAUNCHING APPLIANCE: F55, F70 & NPT100F RESCUE BOAT/LIFERAFTS LAUNCHING APPLIANCES: 21KN(MANUAL), 21KN(ELECTRICAL), 21KN(ELECTRICAL/HYDRAULIC), 25KN(ELECTRICAL/HYDRAULIC), 35KN(ELECTRICAL/HYDRAULIC) & DWC210 RESCUE BOAT LAUNCHING APPLIANCES: A30 & H35	WUXI DONGWU
Winch	LIFEBOAT WINCH: DS*ZY25, DS*ZY40, D50S, DS*ZY63, D63S & 80KN (LIFE) LIFE/RESCUE BOAT WINCH: DZY, Z21, DZ*ZY25, DZ*ZY40, D50Z, DZ*ZY63, D63Z & 80KN(RESCUE)	
Survival Crafts	BCC, BCF, BCFC, BCFF, GJ, FRH, RH	ZHENJIANG HENGXIN SHIP EQUIPMENTS
Launching Appliances	FH, SA, HDC, LFR, LR, HE, PD, SRH, LB, KN	
Winch	DZB, D, DW	
Release Gear	HK	
Survival Crafts	NYF, NYC, NYPF, NYPC, NYZ	ZHEJIANG NORSIER LIFESAVING EQUIPMENT
Launching Appliances	NLB, NSA, NHCD, NFH	
Winch	N	
Release Gear	NHK	
Survival Crafts	BJ, BCC, BCF, BCFC, BCFF, GJ, FRH, RH	ZHEJIANG WANTONG HEAVY INDUSTRY
Launching Appliances	FH, SA, HDC, LFR, LR, HE, PD, SRH, LB, KN	
Winch	DZB, D, DW, IYJ, DZJ, YSJ, DSJ	
Release Gear	HK	

1. The equipment listed above should be understood as:
   Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
   Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
   Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
   Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
2. Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
3. When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	YH	ZHENJIANG MARINE AUXILIARY MACHINERY
Launching Appliances	LE, HE, RE, RC, SRH, GL, TG, HT, LC, FH, SAF, SAFC, SA, HDCL, LA, SH, DH, PL, LFR, LFRH, LEFR, SAWH	
Winch	D, DP	
Release Gear	HK, SH, 15KN, 21KN, 23KN, 25KN, 35KN	
Launching Appliances	FFH, HSD, LPLG, LE, MSD, PR, PRH, SGL	ZHENJIANG DH MARINE EQUIPMENT
Winch	DW, WME	

1. The equipment listed above should be understood as:
   Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
   Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
   Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
   Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
2. Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
3. When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.